# Material Safety Data Sheet RENACON WALL PUTTY COARSE

Safety data sheet dated: 06.04.2023 - Version 1

Date of first edition: 29.06.2022



#### 1. IDENTIFICATION OF THE PRODUCT AND NAME OF THE COMPANY/UNDERTAKING

TRADE NAME : Renacon Wall Putty Coarse

MANUFACTURER'S NAME : RENAATUS PROCON PRIVATE LIMITED

No:156, Mullamparapu, N.G. Palayam (Post) Erode-638115

Tel: +91 73738 73738

Recommended use of the chemical and restrictions on use

Recommended use : Wall Putty
Restrictions on use : Not Available

#### 2. HAZARDOUS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Causes skin irritation (Category 2), H315

Causes serious eye damage (Category 1), H318

May cause an allergic skin reaction (Category 1B), H317

May cause respiratory irritation (Category 3), H335

Adverse physicochemical, human health and environmental effects:

No other hazards

#### 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

**Pictogram** 



Signal word Danger

**Hazard statement(s)** 

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

Precautionary statement(s)

P261 Avoid breathing dust.

P264 Wash hands thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/

face protection/ hearing protection etc.,

P302+P352 IF ON SKIN: Wash with plenty of water.

REN/R&D/ERD/MSDS/S0006-V1

Release date: 06.04.2023 Renacon Wall Putty Coarse

P304+P340 IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P312 Call a POISON CENTER if you feel unwell.

P337 + P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly

closed.

P501 Dispose of contents/container to an approved waste

disposal plant

Supplemental Hazard

Statements

None

## 2.3 Other hazards

No other hazards

Prolonged exposition and/or intensive inhalation of respirable free crystalline silica (average diameter less than 10 micron in accordance with ACGIH) can cause pulmonary fibrosis commonly referred to as silicosis.

This preparation contains cement. Contact between cement and body fluids (e.g. sweat and eye fluids) may cause irritation or burns.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Hazardous ingredients** 

Chemical	CAS-No.	Concentration	Classification according to Regulation (EC) No.
Name		(%)	1272/2008 [CLP]
White	EC / List No.:	30 -50 %	Causes skin irritation (Category 2), H315
Portland	266-043-4		May Cause respiratory irritation (Category 3),
Cement	CAS No.:		H335
	65997-15-1		
Limestone	EC / List No.:	10 -20 %	Not a hazardous substance or mixture
	215-279-6		according to Regulation (EC) No. 1272/2008
	CAS No.:		
	1317-65-3		
Silica Sand	EC / List No.:	40 - 50 %	Not a hazardous substance or mixture
(Coarse)	238-878-4		according to Regulation (EC) No. 1272/2008
	CAS No.:		
	14808-60-7		
Additives	NA	2-5 %	NA

#### 4. FIRST AID MEASURES

## Emergency first aid procedures by route of exposure:

**General advice:** Consult a physician. Show this safety data sheet to the physician in attendance.

Release date: 06.04.2023

**In case of skin contact:** If irritation is experienced, flush with water. If irritation persists, get medical attention.

**In case of eye contact:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If inhaled: Consult a physician immediately and show him the packing or label.

If swallowed: Do not induce vomiting. If the material is swallowed, get medical advice.

#### **5. FIRE FIGHTING MEASURES**

## **5.1 Extinguishing Media:**

Suitable extinguishing media Water, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media None in Particular.

## 5.2 Special hazards arising from the substance or mixture:

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Exposure to combustion products may be a hazard to health.

Hazardous combustion products: Not Available

Explosive Properties : ==

Oxidizing Properties : Not available

## 5.3 Specific extinguishing methods:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Evacuate area.

## **5.4 Fire Fighting Equipment/Instructions:**

In the event of fire, Use personal protective equipment, protective clothing and equipment suitable for the surrounding fire, including helmet, facemask, and wear self-contained breathing apparatus.

#### 5.5 Further information:

Suppress (knock down) gases/vapors/mists with a water spray jet.

#### **6. ACCIDENTAL RELEASE MEASURES**

## 6.1 Personal precautions, protective equipment, and emergency procedures:

Use personal protective equipment.

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapors/dusts/aerosols.

Evacuate personnel to safe areas.

Provide adequate ventilation.

Keep unnecessary personnel away.

## **6.2 Environmental precautions:**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains

## 6.3 Methods and materials for containment and cleaning up:

Take up mechanically and dispose of according to local / national regulations.

Release date: 06.04.2023

Scoop into containers and seal for disposal

Retain contaminated washing water and dispose it.

#### 6.5 Further Information:

Dispose of all wastes in accordance with local / national regulations.

## 7.1. Precautions for safe handling

Precautions for safe handling

: Comply with the legal requirements.

Remove contaminated clothing immediately.

Contaminated clothing should be changed before entering

eating areas.

Do not eat or drink while working.

Handle uncleansed empty containers as full ones. Thoroughly clean/dry the installation before use.

Do not discharge the waste into the drain.

Avoid contact with skin and eyes, inhalation of vapors and

mists.

Do not use on extensive surface areas in premises where

there are occupants.

Use localized ventilation system.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Observe normal hygiene standards. Keep container tightly closed. Measure the concentration in the air regularly.

Work under local exhaust/ventilation.

Hygiene measures

: Wash exposed skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Always keep in a well-ventilated place.

Keep away from food, drink and feed.

**Incompatible materials** : None in Particular

Prohibitions on mixed storage : KEEP SUBSTANCE AWAY FROM ACIDS

Storage area

: Cool and adequately ventilated.

**Conditions for safe storage** 

: Keep in properly labeled containers.

Advice on safe handling

: Do not breathe vapors or spray mist.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and

safety practice.

Take care to prevent spills, waste and minimize release to

the environment.

Materials to avoid : Do not store with the product like Concentrated Acids

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components with workplace control parameters

## 8.2 Exposure controls

**Appropriate engineering controls** : Emergency eye wash fountains and safety showers should

Release date: 06.04.2023

be available in the immediate vicinity of any potential

exposure. Provide local exhaust or general room

ventilation.

**Personal protective equipment** : Safety glasses. Gloves. Protective clothing.

Materials for protective clothing : GIVE EXCELLENT RESISTANCE: butyl rubber. viton.

GIVE GOOD RESISTANCE: neoprene. tetrafluoroethylene.

GIVE LESS RESISTANCE: nitrile rubber. polyethylene. GIVE POOR RESISTANCE: natural rubber. PVA. PVC.

**Eye/face protection** : Face shield and safety glasses. Use close fitting safety

goggles, don't use eye lens

**Skin and body protection** : Protective clothing.

**Respiratory protection** : Personal Protective Equipment should comply with

relevant CE standards (as EN ISO 374 for gloves and EN ISO 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information. A dust mask (P2) should be worn if above exposure limits (EN 149). Use respiratory protection where ventilation is insufficient or

exposure is prolonged.

**Other information**: Do not eat or drink while working.

## 8.3 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Solid

Material Family : Wall Putty

Color : Off White

Odor : Cement Like

pH : No data available

pH (Water dispersion, 10 %) : 12

Melting point/freezing point : No data available Initial boiling point and boiling range : No data available Flash point : No data available : No data available **Evaporation rate** Flammability (solid, gas) : Not applicable : No data available Upper explosion limit Lower explosion limit : No data available Vapor pressure : No data available Relative vapor density : No data available Density (20 °C) : 1.305 g/cm<sup>3</sup>

Partition coefficient: n-octanol/water : Not applicable Autoignition temperature : No data available

Decomposition temperature : The mixture is not classified self-reactive.

: <5 g/l

Release date: 06.04.2023

Explosive properties : Not explosive

Oxidizing properties : The mixture is not classified as oxidizing.

REN/R&D/ERD/MSDS/S0006-V1

Solubility in water

Renacon Wall Putty Coarse

#### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : None

Conditions to avoid : Stable under normal conditions.

Incompatible materials : Hydrogen fluoride

Hazardous decomposition : No hazardous decomposition products are known.

**Products** 

#### 11. TOXICOLOGICAL INFORMATION

Contains cement. Cement gives a strong alkaline reaction with water and body fluids (e.g. sweat and eye fluids), therefore the contact with skin and eyes should be carefully avoided.

#### 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

No data Available

## 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3 Bio accumulative potential

No data Available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Release date: 06.04.2023

## 12.6 Other adverse effects

Additional ecological information No data available

#### 13. DISPOSAL INFORMATION

Dispose of waste and residues in accordance with local authority requirements.

#### 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations

## 14.1 Transport hazard class(es)

Not available

## 14.2 Packaging group

Not available

REN/R&D/ERD/MSDS/S0006-V1

#### 14.3 Environmental hazards

Marine pollutant: No Environmental Pollutant: Not available

## 14.4 Special precautions for user

No data available

#### 15. REGULATORY INFORMATION

## 15.1 Safety, health, and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## 15.2 Chemical safety assessment

For this product, a chemical safety assessment was not carried out

#### 16. OTHER INFOMATION

Document No.: REN/R&D/ERD/MSDS/S0006-V1 Date of issue: 06.04.2023 Replaces: VO dated 29.06.2022 Revised Section(s): Header

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Renaatus Procon Private Limited shall not be held liable for any damage resulting from handling or from contact with the above product. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

#### **Further information**

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

(European Union)

CLP : Regulation for "Classification, Labelling and Packaging

CAS : Chemical Abstracts Service (division of the American Chemical Society)

EN : European Norm (Standard)

ISO : International Organization for Standardization (Standard)

PBT : Persistence, Bioaccumulation, and Toxicity. vPvB : Very Persistent and very Bio-accumulative

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

TSCA : Toxic Substances Control Act (USA)

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact, marketing@renacon.in.

REN/R&D/ERD/MSDS/S0006-V1 Release date: 06.04.2023 Renacon Wall Putty Coarse