## **Material Safety Data Sheet RENACON WALL PUTTY FINE**

Safety data sheet dated: 06.04.2023 - Version 1 Date of first edition: 29.06.2022



## **1. IDENTIFICATION OF THE PRODUCT AND NAME OF THE COMPANY/UNDERTAKING** : Renacon Wall Putty Fine

	•
MANUFACTURER'S NAME	: RENAATUS PROCON PRIVATE LIMITED
	No:156, Mullamparapu,
	N.G. Palayam (Post)
	Erode-638115
	Tel: +91 73738 73738

## Recommended use of the chemical and restrictions on use

: Wall Putty Recommended use Restrictions on use : Not Available

## 2. HAZARDOUS IDENTIFICATION

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Causes skin irritation (Category 2), H315 Causes serious eye damage (Category 1), H318 May cause an allergic skin reaction (Category 1B), H317 May cause respiratory irritation (Category 3), H335 Adverse physicochemical, human health and environmental effects: No other hazards

## 2.2 Label elements

TRADE NAME

## Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word	Danger	
Hazard statement(s)		
H315	Causes skin irritation.	
H317	May cause an allergic skin reactior	۱.
H318	Causes serious eye damage.	
H335	May cause respiratory irritation.	
Precautionary statement(s)		
P261	Avoid breathing dust.	
P264	Wash hands thoroughly after hand	dling.
P271	Use only outdoors or in a well-ven	tilated area.
P280	Wear protective gloves/protective	clothing/eye protection/
	face protection/ hearing protectio	n etc.,
P302+P352	IF ON SKIN: Wash with plenty of w	vater.
&D/FRD/MSDS/S0007-V1	Release date: 06.04.2023	Renacon Wall Putty Fine

REN/R&D/ERD/MSDS/S0007-V1

Release date: 06.04.2023

P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER if you feel unwell.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to an approved waste disposal plant
Supplemental Hazard	None
Statements	

## 2.3 Other hazards

No other hazards

Prolonged exposition and/or intensive inhalation of respirable free crystalline silica (average diameter less than 10 micron in accordance with ACGIH) can cause pulmonary fibrosis commonly referred to as silicosis.

This preparation contains cement. Contact between cement and body fluids (e.g. sweat and eye fluids) may cause irritation or burns.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture	: Mixture

Hazardous ing	redients			
Chemical	CAS-No.	Concentration	Classification according to Regulation (EC) No.	
Name		(%)	1272/2008 [CLP]	
White	EC / List No.:	30 -50 %	Causes skin irritation (Category 2), H315	
Portland	266-043-4		May Cause respiratory irritation (Category 3),	
Cement	CAS No.:		H335	
	65997-15-1			
Limestone	EC / List No.:	15 -25 %	Not a hazardous substance or mixture	
	215-279-6		according to Regulation (EC) No. 1272/2008	
	CAS No.:			
	1317-65-3			
Silica Sand	EC / List No.:	25 - 35 %	Not a hazardous substance or mixture	
(Fine)	238-878-4		according to Regulation (EC) No. 1272/2008	
	CAS No.:			
	14808-60-7			
Additives	NA	2-5 %	NA	

## 4. FIRST AID MEASURES

## Emergency first aid procedures by route of exposure:

**General advice:** Consult a physician. Show this safety data sheet to the physician in attendance.

**In case of skin contact:** If irritation is experienced, flush with water. If irritation persists, get medical attention.

**In case of eye contact:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If inhaled: Consult a physician immediately and show him the packing or label.

If swallowed: Do not induce vomiting. If the material is swallowed, get medical advice.

## 5. FIRE FIGHTING MEASURES

## 5.1 Extinguishing Media:

Suitable extinguishing mediaWater, Carbon dioxide (CO2)Unsuitable extinguishing mediaNone in Particular.

## 5.2 Special hazards arising from the substance or mixture:

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Not Available

Explosive Properties :==

Oxidizing Properties : Not available

## 5.3 Specific extinguishing methods:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Evacuate area.

## **5.4 Fire Fighting Equipment/Instructions:**

In the event of fire, Use personal protective equipment, protective clothing and equipment suitable for the surrounding fire, including helmet, facemask, and wear self-contained breathing apparatus.

## 5.5 Further information:

Suppress (knock down) gases/vapors/mists with a water spray jet.

## 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment, and emergency procedures:

Use personal protective equipment.

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapors/dusts/aerosols.

Evacuate personnel to safe areas.

Provide adequate ventilation.

Keep unnecessary personnel away.

## **6.2** Environmental precautions:

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains

## 6.3 Methods and materials for containment and cleaning up:

Take up mechanically and dispose of according to local / national regulations.

Scoop into containers and seal for disposal

Retain contaminated washing water and dispose it.

## **6.5 Further Information:**

Dispose of all wastes in accordance with local / national regulations.

7.1. Precautions for safe handling Precautions for safe handling	<ul> <li>: Comply with the legal requirements.</li> <li>Remove contaminated clothing immediately.</li> <li>Contaminated clothing should be changed before entering eating areas.</li> <li>Do not eat or drink while working.</li> <li>Handle uncleansed empty containers as full ones.</li> <li>Thoroughly clean/dry the installation before use.</li> <li>Do not discharge the waste into the drain.</li> <li>Avoid contact with skin and eyes, inhalation of vapors and mists.</li> <li>Do not use on extensive surface areas in premises where there are occupants.</li> <li>Use localized ventilation system.</li> <li>Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.</li> <li>Observe normal hygiene standards. Keep container tightly closed. Measure the concentration in the air regularly.</li> <li>Work under local exhaust/ventilation.</li> </ul>
Hygiene measures	: Wash exposed skin thoroughly after handling.
7.2. Conditions for safe storage, inc	
Technical measures	: Always keep in a well-ventilated place.
	Keep away from food, drink and feed.
Incompatible materials	: None in Particular
Prohibitions on mixed storage	: KEEP SUBSTANCE AWAY FROM ACIDS
Storage area	: Cool and adequately ventilated.
Conditions for safe storage	: Keep in properly labeled containers.
Advice on safe handling	: Do not breathe vapors or spray mist.
	Do not swallow.
	Do not get in eyes.
	Avoid prolonged or repeated contact with skin.
	Handle in accordance with good industrial hygiene and
	safety practice. Take care to prevent spills, waste and minimize release to
	the environment.
Materials to avoid	: Do not store with the product like Concentrated Acids

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

Components with workplace control parameters

## 8.2 Exposure controls

Appropriate engineering controls	: Emergency eye wash fountains and safety showers should		
	be available in the immediate vicinity of any potential		

	exposure. Provide local exhaust or general room
	ventilation.
Personal protective equipment	: Safety glasses. Gloves. Protective clothing.
Materials for protective clothing	: GIVE EXCELLENT RESISTANCE: butyl rubber. viton.
	GIVE GOOD RESISTANCE: neoprene. tetrafluoroethylene.
	GIVE LESS RESISTANCE: nitrile rubber. polyethylene.
	GIVE POOR RESISTANCE: natural rubber. PVA. PVC.
Eye/face protection	: Face shield and safety glasses. Use close fitting safety goggles, don't use eye lens
Skin and body protection	: Protective clothing.
Respiratory protection	: Personal Protective Equipment should comply with relevant CE standards (as EN ISO 374 for gloves and EN ISO 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information. A dust mask (P2) should be worn if above exposure limits (EN 149). Use respiratory protection where ventilation is insufficient or exposure is prolonged.

**Other information** : Do not eat or drink while working.

## 8.3 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Appearance	: Solid	
Material Family	: Wall Putty	
Color	: Off White	
Odor	: Cement Like	
рН	: No data available	
pH (Water dispersion, 10 %)	: 12	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: No data available	
Flash point	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapor pressure	: No data available	
Relative vapor density	: No data available	
Density (20 °C)	: 1.015 g/cm <sup>3</sup>	
Solubility in water	: <5 g/l	
Partition coefficient: n-octanol/wate	r : Not applicable	
Autoignition temperature	: No data available	
Decomposition temperature	: The mixture is not cla	assified self-reactive.
Explosive properties	: Not explosive	
Oxidizing properties	: The mixture is not cla	assified as oxidizing.
	Polosso dato: 06.04.2022	Ponacon Wall Dutty Fino

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## **10. STABILITY AND REACTIVITY**

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: None
Conditions to avoid	: Stable under normal conditions.
Incompatible materials	: Hydrogen fluoride
Hazardous decomposition	: No hazardous decomposition products are known.
Products	

## **11. TOXICOLOGICAL INFORMATION**

Contains cement. Cement gives a strong alkaline reaction with water and body fluids (e.g. sweat and eye fluids), therefore the contact with skin and eyes should be carefully avoided.

## **12. ECOLOGICAL INFORMATION**

## 12.1 Toxicity

No data Available

#### 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3 Bio accumulative potential

No data Available

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

Additional ecological information

No data available

## **13. DISPOSAL INFORMATION**

Dispose of waste and residues in accordance with local authority requirements.

## **14. TRANSPORT INFORMATION**

Not classified as dangerous in the meaning of transport regulations

## 14.1 Transport hazard class(es)

Not available

14.2 Packaging group

Not available

14.4 Special precautions for user No data available

Marine pollutant: No

#### **15. REGULATORY INFORMATION**

# 15.1 Safety, health, and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## 15.2 Chemical safety assessment

For this product, a chemical safety assessment was not carried out

## **16. OTHER INFOMATION**

Document No.: REN/R&D/ERD/MSDS/S0007-V1	Date of issue: 06.04.2023
Replaces: VO dated 29.06.2022	Revised Section(s): Header

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Renaatus Procon Private Limited shall not be held liable for any damage resulting from handling or from contact with the above product. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

## Further information

Full text of other abbreviations

I dil text of other uppi	
ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
	(European Union)
CLP	: Regulation for "Classification, Labelling and Packaging
CAS	: Chemical Abstracts Service (division of the American Chemical Society)
EN	: European Norm (Standard)
ISO	: International Organization for Standardization (Standard)
PBT	: Persistence, Bioaccumulation, and Toxicity.
vPvB	: Very Persistent and very Bio-accumulative
GHS	: Globally Harmonized System of Classification and Labeling of Chemicals.
TSCA	: Toxic Substances Control Act (USA)

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact, marketing@renacon.in.